



1 Anti-Slip_ShowerTray_Offset Quadrant_LH

Plan

(a) mm	(b) mm	(c) mm	(d) mm	(e) mm
1200	900	912	612	180

2 Anti-Slip_ShowerTray_Offset Quadrant_LH

Tray Size Schedule

Detailed Description

Senstec Anti-Slip shower trays have a unique integrated profile that has been designed to not only increase grip levels, but is also comfortable to stand on and is easily cleaned. EN 14527 Class 1. The base of the Tray must be adequately supported.

Anti-slip properties:

UKAS accredited laboratory results. Pendulum Test, BS 7976_2:2002, With the NON REQUIRED addition of contaminant to reflect a showering environment, PTV value of 37. Ramp Test DIN 51097, Ramp angle of 30 degrees, best category classification of C. Senstec Ant-Slip properties fall into best possible classifications when tested to BS7976_2:2002 and DIN 51097. User Experience testing carried out by University of Ulster showed 94% very positive.

Material:

Gelcoat surface, stone resin fill.

Depth:

36 mm.

Colour:

Available in all colours.

Waste:

Senstec shower trays have been designed exclusively for use with McAlpine ST90CPB-S-HP2 or ST90CPB-S-70, with flow rates of 42 and 34 litres per minute respectively when tested in accordance with EN274-2:2002. <http://mcalpineplumbing.com>

3 Anti-Slip_ShowerTray_Offset Quadrant_LH

Detailed Description

NOTES:

Waste

Senstec shower trays have been designed exclusively for use with McAlpine ST90CPB-S-HP2 or ST90CPB-S-70, with flow rates of 42 and 34 litres per minute respectively when tested in accordance with EN274-2:2002. <http://mcalpineplumbing.com>

Waterproofing

When installing a Senstec Anti-Slip shower tray it is recommended to use the Classi Bathroom Waterproofing range of products <http://waterproofyourbathroom.com/shower-trays>

Cleaning

Ensure that the tray is washed with soap and water and dried with a soft cloth after each use.

ORIGINAL BY DATE **10/04/2019**
Senstec

Contact
Senstec | 185 Omagh Road | Ballygawley | Dungannon |
Co. Tyrone | N.Ireland | BT70 2AL



Drawing Name: Anti-Slip_ShowerTray_Offset Quadrant_LH Technical Data Sheet
Drawing Number: SENSTEC-STC-XX-XX-DS-A-20-001
Drawing Status: Information Rev: P1

THIS DRAWING IS PROPERTY OF SENSTEC AND REMAINS PROPERTY OF SENSTEC. ANY DRAWING DISCREPANCY SHOULD BE NOTIFIED TO THE DRAWING ORIGINATOR IMMEDIATELY. THIS DRAWING SHOULD NOT BE COPIED WITHOUT NOTIFICATION TO THE OWNER. THIS DRAWING IS FOR PLANNING PURPOSES ONLY & NO DIMENSIONS SCALING SHOULD BE USED FOR FABRICATION. ALL DIMENSIONS TO BE MEASURED ON SITE PRIOR TO MANUFACTURE OF ANY PROPOSALS